



Old Bridge Chemicals Inc.

COPPER SULFATE

FINE CRYSTALS

ACTIVE INGREDIENT:

Copper Sulfate Pentahydrate*	99.0%
Other Ingredients	1.0%
Total	100.0%
*Copper as Metallic not less than	25.2%



Certified to ANSI/NSF 60

KEEP OUT OF REACH OF CHILDREN

ATTENTION: This product contains chemicals known to the State of California to cause cancer and birth defects

DANGER/PELIGRO

Si usted no entiendo la etiqueta, busque a alguien para que se la aplique a usted en detalle (if you do not understand this label, find someone to explain it to you in detail)

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

Danger: Causes severe eye and skin irritation. Harmful if absorbed through the skin or inhaled. May cause skin sensitization reactions in certain individuals. Avoid contact with the skin, eyes or clothing. Avoid breathing dust.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category A on EPA Chemical Resistance Category Selection Chart.

Applicators and other handlers must wear:

Long sleeved shirt and pants Shoes plus socks Protective eye wear
Chemical-resistant gloves made of any waterproof material such as polyethylene or polyvinyl chloride

Dust/mist filtering respirator (MSHA/NIOSH) approval number TC21C) or

A NIOSH approved respirator with any N, R, P or HE filter.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS

This pesticide is hazardous to fish and aquatic organisms. Do not apply directly to water except as directed under the specific instructions section. Drift and runoff from treated areas may be hazardous to fish and aquatic organisms in adjacent aquatic sites. Direct application of Copper Sulfate to water may cause a significant reduction in populations of aquatic invertebrates, plants and fish. Do not treat more than one-half of lake or pond at one time in order to avoid depletion of oxygen levels due to decaying vegetation. Allow one to two weeks between treatments for oxygen levels to recover

Trout and other species of fish may be killed at application rates recommended on this label, especially in soft or acid waters. However, fish toxicity generally decreases when the hardness of water increases. Do not contaminate water by cleaning of equipment or disposal of wastes. Consult your State Fish and Game Agency before applying this product to public waters. Permits may be required before treating such waters.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

USER SAFETY RECOMMENDATIONS

Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID

If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If Inhaled	Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call poison control center or doctor for further treatment advice.
If on skin or on clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.
If swallowed	Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

HOT LINE SERVICE

Have the product container or label with you when calling a poison control center or doctor, or for going for treatment. You may contact 800-275-3924 for emergency medical information.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

**ENVIRONMENTALLY HAZARDOUS
SUBSTANCE,
SOLID, N.O.S. (CUPRIC SULFATE),
9, UN3077, PGIII, RQ
CASE NO.7758-99-8**

**EPA Reg. No.
46923-4
EPA EST. No.
46923-NJ-1**

(See Back Panel for Directions For Use)

**NET WT. 50 LBS.
(22.7 kilos)**

For Technical Information and MSDS
visit our website: www.oldbridgechem.com



Old Bridge Chemicals Inc.
P.O. Box 194 - Old Bridge, NJ 08857

MADE IN U.S.A.

